Author Index of Volume 203

Addison, A. W., 29
Al-Baker, S. A., 121
Alcock, N. W., 81
Alessio, E., 205
Alzuet, G., 257
Amano, R., 9
Andersson, C., 235
Andrade, C. G., 115
Attia, W. M., 205
Azevedo Batista, A., 185

Balducci, G., 205
Banbury, F. A., 93
Bandini, A. L., 127
Banovetz, J. P., 179
Bastida, R., 1
Becker, C. A. L., 175
Borrás, J., 257
Boschi, T., 107
Bould, J., 193
Bovino, S. C., 179
Bruni, S., 127
Butcher, R. J., 51

Calligaris, M., 205
Cariati, F., 127
Centeno Cordeiro, L. A., 185
Chen, X.-M., 97
Coates, G. W., 179
Conary, G. S., 11
Cotton, F. A., 55
Crivelli, I. G., 115
Crook, J. E., 193
Csöregh, I., 21

Darby, W. L., 51
Datta, T., 55
Davidson, M. G., 93
de Blas, A., 1
de Haar, V. W., 157
de Koning, T. C., 145
de Lange, P. P. M., 145
Duesler, E. N., 11

Edwards, A. J., 93
Elsevier, C. J., 129, 157
Englert, U., 67
English, R. B., 219
Ernsting, J.-M., 129
Ertan, A., 21
Evans, D. J., 253
Eve, D. J., 219

Fackler, Jr., J. P., 73
Fanciullo, M., 107
Fenton, D. E., 1, 67
Ferrer, S., 257
Font-Bardía, M., 229, 257

García-Vázquez, J. A., 67
Garland, M. T., 73
Gómez, C., 67
González, G., 229
Goubitz, K., 129

Handa, M., 61
Howells, A. R., 43
Huang, S., 87

Jacobson, R. R., 5
Jeliazkova, B. G., 201

Karlin, K. D., 5
Kemp, T. J., 81
Kennedy, J. D., 193
Khokhar, A. R., 121
Kitamura, Y., 37
Kooijman, H., 145
Kraakman, M. J. A., 129, 145, 157

Labella, L., 55
Labisbal, E., 67
Leciejewicz, J., 81
Lever, A. B. P., 171
Licoccia, S., 107
Lopez Solera, M.-I., 93
Lo Schiavo, S., 101
Lucken, E. A. C., 239
Lumetta, G. J., 121
Lutman, A., 205

Macias, A., 67
Mak, T. C. W., 97
Mäler, L., 21
Manzur, J., 73
Martinez, M., 229
McCabe, D. J., 11
Meline, R. L., 11
Mestroni, G., 205
Milletti, M. C., 43
Miyamoto, H., 61
Miyoshi, K., 249
Mizuta, T., 249
Moberg, C., 21
Morgante, E., 107

Nasir, M. S., 5

Oliva, G., 185
Owens-Waltermire, B. E., 223

Paine, R. T., 11
Pang, L., 239
Paolesse, R., 107
Pavlishchuk, V. V., 29
Persson, C., 235
Peterson, L. K., 87
Piraino, P., 101
Poli, R., 223

Raithby, P. R., 93
Rheingold, A. L., 223
Rodríguez, T., 1
Romero, J., 67

Sawada, K., 61
Shang, M., 55
Shibata, A., 37
Shiokawa, Y., 9
Sinn, E., 51
Snaith, R., 93
Solans, X., 229, 257
Sousa, A., 1, 67
Spek, A. L., 145, 157
Speroni, F., 127
Spodine, E., 73
Stalke, D., 93
Staples, R. J., 73
Straus, D. A., 179
Suzuki, T., 61

Thornton-Pett, M., 193
Tresoldi, G., 101
Trzcinska-Bancroft, B., 73

Vrieze, K., 129, 145, 157

Wang, J., 249
Wärnmark, K., 21
Waymouth, R. M., 179
Whitehead, M. A., 239
Wright, D. S., 93

Xu, Q., 121

Yip, W.-H., 97
Yordanov, N. D., 201
Yukawa, Y., 61

Ziller, J. W., 179
Zubieta, J., 5

Subject Index of Volume 203

Acetylacetonato complexes
formation of acetylacetonato iron complexes in acetonitrile and their resonance Raman spectra, 61
Alkyne complexes
C–C coupling and C–H activation occurring in reactions of $FeRu(CO)_6(^iPr\text{-}Pyca)$ ($^iPr\text{-}Pyca = C_5H_4N\text{-}2\text{-}CH{=}N\text{-}^iPr$) with activated alkynes $RC{\equiv}CR'$ ($R = R' = C(O)OMe$; $R = H$, $R' = C(O)Me$), 145
Amide complexes
coordination behaviour of methazolamide [*N*(-4-methyl-2-sulfamoyl-Δ^2-1,3,4-thiadiazolin-5-ylidene)] acetamide, an inhibitor of carbonic anhydrase enzyme. Synthesis, crystal structure and properties of bis(methazolamidate)tetrammine nickel(II), 257
Amine complexes
preparation and the covalent hydration of a hexafluoro-2,4-pentanedionatotetraaminecobalt(III) complex, 37
copper complexes with di-pyridylmethane. The synthesis and X-ray structures of bis(di-pyridylmethane)copper(I) perchlorate, bis(di-pyridylmethane)copper(II) perchlorate and dichloro-μ-dichloro-bis(di-pyridyl-methane)dicopper(II), 73
crystal structures of bis(L(−)prolinato-*N*)(*trans-R,R*-1,2-diaminocyclohexane)platinum(II) and bis(L(−)prolinato-*N*)-(*cis*-1,2-diaminocyclohexane)platinum(II) complexes, 121
Amino acid complexes
mixed amino acid binding of Fe_4S_4 clusters: a ^1H NMR study, 253
Ammine complexes
kinetic studies on sterically hindered pentaaminecobalt(III) complexes. Synthesis, anation reactions and crystal structure of $[Co(EtNH_2)_5H_2O](ClO_4)_3 \cdot 2H_2O$, 229
coordination behaviour of methazolamide [*N*(-4-methyl-2-sulfamoyl-Δ^2-1,3,4-thiadiazolin-5-ylidene)] acetamide, an inhibitor of carbonic anhydrase enzyme. Synthesis, crystal structure and properties of bis(methazolamidate)tetrammine nickel(II), 257
Aqua complexes
the molecular structure of sodium (aqua)(ethylenediaminetetraacetato)-titanate(III) dihydrate, $Na[Ti(H_2O)(edta)] \cdot 2H_2O$, as determined by X-ray crystal analysis, 249

Bidentate ligand complexes
a volatile thallium chelate, (2,2,6,6-tetramethyl-3,5-heptanedionato)Tl(I), 9
preparation and the covalent hydration of a hexafluoro-2,4-pentanedionatotetraaminecobalt(III) complex, 37
formation of acetylacetonato iron complexes in acetonitrile and their resonance Raman spectra, 61
copper complexes with di-pyridylmethane. The synthesis and X-ray structures of bis(di-pyridylmethane)copper(I) perchlorate, bis(di-pyridylmethane)copper(II) perchlorate and dichloro-μ-dichloro-bis(di-pyridyl-methane)dicopper(II), 73
preparation of the new heteronuclear α-diimine complexes $FeRu(CO)_6$(R-Pyca) and $Fe_2Ru(CO)_{10}$(R-Pyca) (R-Pyca = C_5H_4N-2-CH=NR); ^{13}C NMR study of the fluxional behaviour of the carbonyl ligands in $Fe_2Ru(CO)_{10}$(R-Pyca), 129
synthesis of the monohydride complexes $HRu_2(X)(CO)_5(^iPr\text{-}N{=}CHCH{=}N\text{-}^iPr)$ (X = Cl, I); hydrogenation of the central C–C bond of the coordinated α-diimine ligands. X-ray single crystal structure of $HRu_2(Cl)(CO)_5(^iPr\text{-}N{=}CHCH{=}N\text{-}^iPr)$, 157
electrochemical formation and X-ray structure of the five-coordinated ruthenium(II) $[RuCl(dppp)_2](PF_6)$ complex, 185
^{35}Cl nuclear quadrupole resonance and crystal structures of small guest molecules in tris(2,4-pentanedionate)M(III) inclusion compounds, 239
Binuclear complexes
heterobinuclear (Cu–M) complexes containing an endogenous benzimidazolate bridge, 1

Calcium complexes
a thiouracil–Ca^{2+} complex containing two tautomeric forms of the thiouracilyl anion: synthesis and crystal structure of $[(thiouracilyl)_2Ca \cdot 2DMSO \cdot H_2O]_2$, 93
Carbon ligand complexes
a revision on gold(I)–carbon stretching frequencies, 127
Carbonyl complexes
hydrogen migration in $Fe_3(CO)_9CH_4$, 43
preferential displacement of fluorophosphine ligands from fluorophosphinetungstencarbonyl complexes by reaction with trimethylamine oxide, 87
preparation of the new heteronuclear α-diimine complexes $FeRu(CO)_6$(R-Pyca) and $Fe_2Ru(CO)_{10}$(R-Pyca) (R-Pyca = C_5H_4N-2-CH=NR); ^{13}C NMR study of the fluxional behaviour of the carbonyl ligands in $Fe_2Ru(CO)_{10}$(R-Pyca), 129
C–C coupling and C–H activation occurring in reactions of $FeRu(CO)_6(^iPr\text{-}Pyca)$ ($^iPr\text{-}Pyca = C_5H_4N\text{-}2\text{-}CH{=}N\text{-}^iPr$) with activated alkynes $RC{\equiv}CR'$ ($R = R' = C(O)OMe$; $R = H$, $R' = C(O)Me$), 145
Carboxylate complexes
a polymeric silver(I) complex containing triply carboxylato-*O,O'*-bridged dinuclear cores, $[\{Ag_4(Me_3NCH_2CO_2)_6\}_n](ClO_4)_{4n}$, 97
Chelate complexes
a volatile thallium chelate, (2,2,6,6-tetramethyl-3,5-heptanedionato)Tl(I), 9
preparation and the covalent hydration of a hexafluoro-2,4-pentanedionatotetraaminecobalt(III) complex, 37
copper complexes with di-pyridylmethane. The synthesis and X-ray structures of bis(di-pyridylmethane)copper(I) perchlorate, bis(di-pyridylmethane)copper(II) perchlorate and dichloro-μ-dichloro-bis(di-pyridyl-methane)dicopper(II), 73
crystal structures of bis(L(−)prolinato-*N*)(*trans-R,R*-1,2-diaminocyclohexane)platinum(II) and bis(L(−)prolinato-*N*)-(*cis*-1,2-diaminocyclohexane)platinum(II) complexes, 121
synthesis of the monohydride complexes $HRu_2(X)(CO)_5(^iPr\text{-}N{=}CHCH{=}N\text{-}^iPr)$ (X = Cl, I); hydrogenation of the central C–C bond of the coordi-

nated α-diimine ligands. X-ray single crystal structure of $HRu_2(Cl)(CO)_5(^iPr\text{-}N{=}CHCH{=}N\text{-}^iPr)$, 157
electrochemical formation and X-ray structure of the five-coordinated ruthenium(II) $[RuCl(dppp)_2](PF_6)$ complex, 185
^{35}Cl nuclear quadrupole resonance and crystal structures of small guest molecules in tris(2,4-pentanedionate)M(III) inclusion compounds, 239
Chromium complexes
crystal structures of $(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}2,4\text{-}C_7H_{11})Cr$ and $(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}2,4\text{-}C_7H_{11})CrCO$. An example of 'S' 2,4-dimethylpentadienyl ligand geometry, 179
Cluster complexes
ten-vertex metallaborane clusters: action as a B-frame support for heterobimetallic species: [7,7-$(PMe_3)_2$-9,9,9-$H(PPh_3)(Ph_2P\text{-}ortho\text{-}C_6H_4)$-*nido*-7,9-$PtIrB_9H_{10}$-4] and related compounds, 193
mixed amino acid binding of Fe_4S_4 clusters: a ^1H NMR study, 253
Cobalt complexes
preparation and the covalent hydration of a hexafluoro-2,4-pentanedionatotetraaminecobalt(III) complex, 37
first observation of π-bonding in triple decker pyrrolyl complexes. Crystal structure of $[(\eta^5\text{-}tetramethylpyrrolyl)Co]_2(C_2Et_2B_3H_3)$, 51
synthesis and characterization of cobalt(III) complexes of *meso*-phenyl-substituted corroles, 107
synthesis of paramagnetic tetrakis(benzylisocyanide)bis(tri-*p*-tolylarsine oxide)cobalt(III) tetrafluoroborate. An example of oxidation of ligand and metal in reaction of pentakis(arylisocyanide)cobalt(II) with triarylarsine, 175
kinetic studies on sterically hindered pentaaminecobalt(III) complexes. Synthesis, anation reactions and crystal structure of $[Co(EtNH_2)_5H_2O](ClO_4)_3\cdot 2H_2O$, 229
Copper complexes
heterobinuclear (Cu–M) complexes containing an endogenous benzimidazolate bridge, 1
pyridine ligand donor substituent effects upon structure, redox properties and O_2 reactivity of xylyl dinuclear copper(I) complexes, 5
synthesis, spectroscopic and redox behaviour of copper(II) complexes with quinquedentate thiaaza ligands, 29
copper complexes with di-pyridylmethane. The synthesis and X-ray structures of bis(di-pyridylmethane)copper(I) perchlorate, bis(di-pyridylmethane)copper(II) perchlorate and dichloro-μ-dichloro-bis(di-pyridylmethane)dicopper(II), 73
Hush theory in a copper mixed valence bioinorganic model generated photochemically, 115
charge transfer photochemistry of bis(diethyldithiocarbamato)copper(II) and bis(diisopropyldithiophosphato)copper(II) complexes, 201
Corrole complexes
synthesis and characterization of cobalt(III) complexes of *meso*-phenyl-substituted corroles, 107
Crystal structure(s)
pyridine ligand donor substituent effects upon structure, redox properties and O_2 reactivity of xylyl dinuclear copper(I) complexes, 5
synthesis and coordination chemistry of trifunctional carbamoyl-bis-phosphonate alkane ligands, 11
the coordination chemistry of macrocyclic 13- and 14-membered dipyridylmethaneamides; crystal structure of the deprotonated Ni(II) complex of 3,15-dioxo-9-ethyl-9-methoxy-1,4,5,6,7,8,10,11,12,13,14,17,18,19,20,21,22,23-octadecadehydro-2,16,22,23-tetraazatetracyclo[15.4.0.$1^{4,8}$.$1^{10,14}$]tricosane, 21
synthesis, spectroscopic and redox behaviour of copper(II) complexes with quinquedentate thiaaza ligands, 29
first observation of π-bonding in triple decker pyrrolyl complexes. Crystal structure of $[(\eta^5\text{-}tetramethylpyrrolyl)Co]_2(C_2Et_2B_3H_3)$, 51
stabilizing of the Ru_2^{6+} core. Use of highly charged ligands such as sulfate and phosphate, 55
the synthesis of zinc(II) complexes of 2-(2-mercaptophenyl)-imino-phenol by electrochemical cleavage of a disulfide bond; the crystal structure of{(2,2′-bipyridine)[2-(2-mercaptophenyl)imino- phenoxy]}zinc(II), 67
copper complexes with di-pyridylmethane. The synthesis and X-ray structures of bis(di-pyridylmethane)copper(I) perchlorate, bis(di-pyridylmethane)copper(II) perchlorate and dichloro-μ-dichloro-bis(di-pyridylmethane)dicopper(II), 73
crystal and molecular structures of sulfonato complexes of dioxouranium(VI) ion: role of steric effects on coordination structure, 81
a thiouracil–Ca^{2+} complex containing two tautomeric forms of the thiouracilyl anion: synthesis and crystal structure of $[(thiouracilyl)_2Ca\cdot 2DMSO\cdot H_2O]_2$, 93
a polymeric silver(I) complex containing triply carboxylato-*O*,*O*′-bridged dinuclear cores, $[\{Ag_4(Me_3NCH_2CO_2)_6\}_n](ClO_4)_{4n}$, 97
crystal structures of bis(L(−)prolinato-*N*)(*trans*-*R*,*R*-1,2-diaminocyclohexane)platinum(II) and bis(L(−)prolinato-*N*)-(*cis*-1,2-diaminocyclohexane)platinum(II) complexes, 121
preparation of the new heteronuclear α-diimine complexes $FeRu(CO)_6$(R-Pyca) and $Fe_2Ru(CO)_{10}$(R-Pyca) (R-Pyca = C_5H_4N-2-CH=NR); ^{13}C NMR study of the fluxional behaviour of the carbonyl ligands in $Fe_2Ru(CO)_{10}$(R-Pyca), 129
C–C coupling and C–H activation occurring in reactions of $FeRu(CO)_6(^iPr\text{-}Pyca)$ ($^iPr\text{-}Pyca = C_5H_4N\text{-}2\text{-}CH{=}N\text{-}^iPr$) with activated alkynes RC≡CR′ (R = R′ = C(O)OMe; R = H, R′ = C(O)Me), 145
synthesis of the monohydride complexes $HRu_2(X)(CO)_5(^iPr\text{-}N{=}CHCH{=}N\text{-}^iPr)$ (X = Cl, I); hydrogenation of the central C–C bond of the coordinated α-diimine ligands. X-ray single crystal structure of $HRu_2(Cl)(CO)_5(^iPr\text{-}N{=}CHCH{=}N\text{-}^iPr)$, 157
crystal structures of $(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}2,4\text{-}C_7H_{11})Cr$ and $(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}2,4\text{-}C_7H_{11})CrCO$. An example of 'S' 2,4-dimethylpentadienyl ligand geometry, 179
electrochemical formation and X-ray structure of the five-coordinated ruthenium(II) $[RuCl(dppp)_2](PF_6)$ complex, 185
synthesis and characterization of two new classes of ruthenium(III)–sulfoxide complexes with nitrogen donor ligands (L): Na[*trans*-$RuCl_4(R_2SO)(L)$] and *mer*,*cis*-$RuCl_3(R_2SO)(R_2SO)(L)$. The crystal structure of Na[*trans*-$RuCl_4(DMSO)(NH_3)]\cdot 2DMSO$, Na[*trans*-$RuCl_4(DMSO)(Im)]\cdot H_2O$,$Me_2CO$ (Im = imidazole) and *mer*,*cis*-$RuCl_3(DMSO)(DMSO)(NH_3)$, 205
ammonium di-μ-oxalatotitanate(III) dihydrate: an eight-coordinate, polymeric titanium(III) complex, 219
the structure of two analogous 16-electron piano stool molybdenum(IV) complexes, $[YMoI_2(PMe_3)_2]^+$ (Y = Cp, Cp*), 223
kinetic studies on sterically hindered pentaaminecobalt(III) complexes. Synthesis, anation reactions and crystal structure of $[Co(EtNH_2)_5H_2O](ClO_4)_3\cdot 2H_2O$, 229

^{35}Cl nuclear quadrupole resonance and crystal structures of small guest molecules in tris(2,4-pentanedionate)M(III) inclusion compounds, 239
the molecular structure of sodium (aqua)(ethylenediaminetetraacetato)titanate(III) dihydrate, $Na[Ti(H_2O)(edta)]\cdot 2H_2O$, as determined by X-ray crystal analysis, 249
coordination behaviour of methazolamide [*N*(-4-methyl-2-sulfamoyl-Δ^2-1,3,4-thiadiazolin-5-ylidene)] acetamide, an inhibitor of carbonic anhydrase enzyme. Synthesis, crystal structure and properties of bis(methazolamidate)tetrammine nickel(II), 257

Cyclopentadienyl complexes
crystal structures of $(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}2,4\text{-}C_7H_{11})Cr$ and $(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}2,4\text{-}C_7H_{11})CrCO$. An example of 'S' 2,4-dimethylpentadienyl ligand geometry, 179
the structure of two analogous 16-electron piano stool molybdenum(IV) complexes, $[YMoI_2(PMe_3)_2]^+$ (Y = Cp, Cp*), 223

Dinuclear complexes
interactions of the Rh_2^{4+} formamidinate complex $Rh_2(\mu\text{-form})_2(\mu\text{-}O_2CCF_3)_2(H_2O)_2$ (form = *N*, *N'*-di-*p*-tolylformamidinate anion) with nucleobases and nucleosides, 101
Hush theory in a copper mixed valence bioinorganic model generated photochemically, 115

Dithiocarbamato complexes
charge transfer photochemistry of bis(diethyldithiocarbamato)copper(II) and bis(diisopropyldithiophosphato)copper(II) complexes, 201

Dithiophosphato complexes
charge transfer photochemistry of bis(diethyldithiocarbamato)copper(II) and bis(diisopropyldithiophosphato)copper(II) complexes, 201

Electrochemistry
pyridine ligand donor substituent effects upon structure, redox properties and O_2 reactivity of xylyl dinuclear copper(I) complexes, 5
the synthesis of zinc(II) complexes of 2-(2-mercaptophenyl)-imino-phenol by electrochemical cleavage of a disulfide bond; the crystal structure of{(2,2'-bipyridine)[2-(2-mercaptophenyl)iminophenoxy]}zinc(II), 67
electrochemical formation and X-ray structure of the five-coordinated ruthenium(II) $[RuCl(dppp)_2](PF_6)$ complex, 185

Fluorophosphine complexes
preferential displacement of fluorophosphine ligands from fluorophosphinetungstencarbonyl complexes by reaction with trimethylamine oxide, 87

Gadolinium complexes
synthesis and coordination chemistry of trifunctional carbamoyl-bis-phosphonate alkane ligands, 11

Gold complexes
a revision on gold(I)–carbon stretching frequencies, 127

Halide complexes
reduction of tungsten(VI) and molybdenum(V) by allyltrimethylsilane and cyclopentene. Simple high yield syntheses of $MoCl_4(OEt_2)_2$, $MoCl_4(dme)$, $WCl_4(thf)_2$, $WCl_4(dme)$ and $WOCl_3(thf)_2$, 235

Hydride complexes
synthesis of the monohydride complexes $HRu_2(X)(CO)_5(^iPr\text{-}N{=}CHCH{=}N\text{-}^iPr)$ (X = Cl, I); hydrogenation of the central C–C bond of the coordinated α-diimine ligands. X-ray single crystal structure of $HRu_2(Cl)(CO)_5(^iPr\text{-}N{=}CHCH{=}N\text{-}^iPr)$, 157

Hydrogen complexes
hydrogen migration in $Fe_3(CO)_9CH_4$, 43

Hydrolysis
preparation and covalent hydration of a hexafluoro-2,4-pentanedionatotetraaminecobalt(III) complex, 37

Iridium complexes
ten-vertex metallaborane clusters: action as a B-frame support for heterobimetallic species: [7,7-$(PMe_3)_2$-9,9,9-H(PPh_3)(Ph_2P-*ortho*-C_6H_4)-*nido*-7,9-$PtIrB_9H_{10}$-4] and related compounds, 193

Iron complexes
hydrogen migration in $Fe_3(CO)_9CH_4$, 43
formation of acetylacetonato iron complexes in acetonitrile and their resonance Raman spectra, 61
preparation of the new heteronuclear α-diimine complexes $FeRu(CO)_6$(R-Pyca) and $Fe_2Ru(CO)_{10}$(R-Pyca) (R-Pyca = C_5H_4N-2-CH=NR); ^{13}C NMR study of the fluxional behaviour of the carbonyl ligands in $Fe_2Ru(CO)_{10}$(R-Pyca), 129
C–C coupling and C–H activation occurring in reactions of $FeRu(CO)_6(^iPr\text{-}Pyca)$ ($^iPr\text{-}Pyca = C_5H_4N\text{-}2\text{-}CH{=}N\text{-}^iPr$) with activated alkynes RC≡CR' (R = R' = C(O)OMe; R = H, R' = C(O)Me), 145
mixed amino acid binding of Fe_4S_4 clusters: a ^1H NMR study, 253

Isocyanide complexes
synthesis of paramagnetic tetrakis(benzylisocyanide)bis(tri-*p*-tolylarsine oxide)cobalt(III) tetrafluoroborate. An example of oxidation of ligand and metal in reaction of pentakis(arylisocyanide)cobalt(II) with triarylarsine, 175

Kinetics and mechanism
kinetic studies on sterically hindered pentaaminecobalt(III) complexes. Synthesis, anation reactions and crystal structure of $[Co(EtNH_2)_5H_2O](ClO_4)_3\cdot 2H_2O$, 229

Macrocyclic ligand complexes
the coordination chemistry of macrocyclic 13- and 14-membered dipyridylmethaneamides; crystal structure of the deprotonated Ni(II) complex of 3,15-dioxo-9-ethyl-9-methoxy-1,4,5,6,7,8,10,11,12,13,14,17,18,19,20,21,22,23-octadecadehydro-2,16,22,23-tetraazatetracyclo[15.4.0.$1^{4,8}$.$1^{10,14}$]tricosane, 21
synthesis, spectroscopic and redox behaviour of copper(II) complexes with quinquedentate thiaaza ligands, 29

Metal complexes
heterobinuclear (Cu–M) complexes containing an endogenous benzimidazolate bridge, 1
^{35}Cl nuclear quadrupole resonance and crystal structures of small guest molecules in tris(2,4-pentanedionate)M(III) inclusion compounds, 239

Metallaborane complexes
ten-vertex metallaborane clusters: action as a B-frame support for heterobimetallic species: [7,7-$(PMe_3)_2$-9,9,9-H(PPh_3)(Ph_2P-*ortho*-C_6H_4)-*nido*-7,9-$PtIrB_9H_{10}$-4] and related compounds, 193

Metallophthalocyanine complexes
derivation of metallophthalocyanine redox potentials via Hammett parameter analysis, 171
Molecular orbital study
hydrogen migration in $Fe_3(CO)_9CH_4$, 43
Molybdenum complexes
the structure of two analogous 16-electron piano stool molybdenum(IV) complexes, $[YMoI_2(PMe_3)_2]^+$ (Y = Cp, Cp*), 223
reduction of tungsten(VI) and molybdenum(V) by allyltrimethylsilane and cyclopentene. Simple high yield syntheses of $MoCl_4(OEt_2)_2$, $MoCl_4$(dme), $WCl_4(thf)_2$, WCl_4(dme) and $WOCl_3(thf)_2$, 235

Nickel complexes
the coordination chemistry of macrocyclic 13- and 14-membered dipyridylmethaneamides; crystal structure of the deprotonated Ni(II) complex of 3,15-dioxo-9-ethyl-9-methoxy-1,4,5,6,7,8,10,11,12,13,14,17,18,19,20,21,22,23-octadecadehydro-2,16,22,23-tetraazatetracyclo[15.4.0.$1^{4,8}$.$1^{10,14}$]tricosane, 21
coordination behaviour of methazolamide [*N*(-4-methyl-2-sulfamoyl-Δ^2-1,3,4-thiadiazolin-5-ylidene)] acetamide, an inhibitor of carbonic anhydrase enzyme. Synthesis, crystal structure and properties of bis(methazolamidate)tetrammine nickel(II), 257
Nitrogen ligand complexes
synthesis and characterization of two new classes of ruthenium(III)–sulfoxide complexes with nitrogen donor ligands (L): Na[*trans*-$RuCl_4(R_2SO)(L)$] and *mer,cis*-$RuCl_3(R_2SO)(R_2SO)(L)$. The crystal structure of Na[*trans*-$RuCl_4(DMSO)(NH_3)$]·2DMSO, Na[*trans*-$RuCl_4(DMSO)(Im)]\cdot H_2O$,$Me_2CO$ (Im = imidazole) and *mer,cis*-$RuCl_3(DMSO)(DMSO)(NH_3)$, 205
Nucleobase complexes
interactions of the Rh_2^{4+} formamidinate complex $Rh_2(\mu$-form$)_2(\mu$-$O_2CCF_3)_2(H_2O)_2$ (form = *N*, *N'*-di-*p*-tolylformamidinate anion) with nucleobases and nucleosides, 101
Nucleoside complexes
interactions of the Rh_2^{4+} formamidinate complex $Rh_2(\mu$-form$)_2(\mu$-$O_2CCF_3)_2(H_2O)_2$ (form = *N*, *N'*-di-*p*-tolylformamidinate anion) with nucleobases and nucleosides, 101

Oxalato complexes
ammonium di-μ-oxalatotitanate(III) dihydrate: an eight-coordinate, polymeric titanium(III) complex, 219
Oxo complexes
crystal and molecular structures of sulfonato complexes of dioxouranium(VI) ion: role of steric effects on coordination structure, 81
Oxygen complexes
pyridine ligand donor substituent effects upon structure, redox properties and O_2 reactivity of xylyl dinuclear copper(I) complexes, 5

Paramagnetism
synthesis of paramagnetic tetrakis(benzylisocyanide)bis(tri-*p*-tolylarsine oxide)cobalt(III) tetrafluoroborate. An example of oxidation of ligand and metal in reaction of pentakis(arylisocyanide)cobalt(II) with triarylarsine, 175
Phosphate complexes
stabilizing of the Ru_2^{6+} core. Use of highly charged ligands such as sulfate and phosphate, 55
Photochemistry
Hush theory in a copper mixed valence bioinorganic model generated photochemically, 115
charge transfer photochemistry of bis(diethyldithiocarbamato)copper(II) and bis (diisopropyldithiophosphato)copper(II) complexes, 201
Platinum complexes
crystal structures of bis(L(−)prolinato-*N*)(*trans*-*R*,*R*-1,2-diaminocyclohexane)platinum(II) and bis(L(−)prolinato-*N*)-(*cis*-1,2-diaminocyclohexane)platinum(II) complexes, 121
ten-vertex metallaborane clusters: action as a B-frame support for heterobimetallic species: [7,7-$(PMe_3)_2$-9,9,9-$H(PPh_3)(Ph_2P$-*ortho*-$C_6H_4)$-*nido*-7,9-$PtIrB_9H_{10}$-4] and related compounds, 193
Polydentate ligand complexes
the molecular structure of sodium (aqua)(ethylenediaminetetraacetato)titanate(III) dihydrate, $Na[Ti(H_2O)(edta)]\cdot 2H_2O$, as determined by X-ray crystal analysis, 249
Polyfunctional ligand complexes
synthesis and coordination chemistry of trifunctional carbamoyl-bis-phosphonate alkane ligands, 11
Polymeric complexes
a polymeric silver(I) complex containing triply carboxylato-*O*,*O'*-bridged dinuclear cores, $[\{Ag_4(Me_3NCH_2CO_2)_6\}_n](ClO_4)_{4n}$, 97
Pyrrolyl complexes
first observation of π-bonding in triple decker pyrrolyl complexes. Crystal structure of [(η^5-tetramethylpyrrolyl)Co]$_2$($C_2Et_2B_3H_3$), 51

Redox potentials
derivation of metallophthalocyanine redox potentials via Hammett parameter analysis, 171
Reduction
reduction of tungsten(VI) and molybdenum(V) by allyltrimethylsilane and cyclopentene. Simple high yield syntheses of $MoCl_4(OEt_2)_2$, $MoCl_4$(dme), $WCl_4(thf)_2$, WCl_4(dme) and $WOCl_3(thf)_2$, 235
Rhodium complexes
interactions of the Rh_2^{4+} formamidinate complex $Rh_2(\mu$-form$)_2(\mu$-$O_2CCF_3)_2(H_2O)_2$ (form = *N*, *N'*-di-*p*-tolylformamidinate anion) with nucleobases and nucleosides, 101
Ruthenium complexes
stabilizing of the Ru_2^{6+} core. Use of highly charged ligands such as sulfate and phosphate, 55
preparation of the new heteronuclear α-diimine complexes $FeRu(CO)_6$(R-Pyca) and $Fe_2Ru(CO)_{10}$(R-Pyca) (R-Pyca = C_5H_4N-2-CH=NR); ^{13}C NMR study of the fluxional behaviour of the carbonyl ligands in $Fe_2Ru(CO)_{10}$(R-Pyca), 129
C–C coupling and C–H activation occurring in reactions of $FeRu(CO)_6(^i$Pr-Pyca) (^{i}Pr-Pyca = C_5H_4N-2-CH=N-^{i}Pr) with activated alkynes RC≡CR' (R = R' = C(O)OMe; R = H, R' = C(O)Me), 145
synthesis of the monohydride complexes $HRu_2(X)(CO)_5(^i$Pr-N=CHCH=N-^{i}Pr) (X = Cl, I); hydrogenation of the central C–C bond of the coordinated α-diimine ligands. X-ray single crystal structure of $HRu_2(Cl)(CO)_5(^i$Pr-N=CHCH=N-^{i}Pr), 157
electrochemical formation and X-ray structure of the five-coordinated ruthenium(II) $[RuCl(dppp)_2](PF_6)$ complex, 185

synthesis and characterization of two new classes of ruthenium(III)–sulfoxide complexes with nitrogen donor ligands (L): Na[*trans*-$RuCl_4(R_2SO)(L)$] and *mer,cis*-$RuCl_3(R_2SO)(R_2SO)(L)$. The crystal structure of Na[*trans*-$RuCl_4(DMSO)(NH_3)]\cdot 2DMSO$, Na[*trans*-$RuCl_4(DMSO)(Im)]\cdot H_2O,Me_2CO$ (Im = imidazole) and *mer,cis*-$RuCl_3(DMSO)(DMSO)(NH_3)$, 205

Schiff base complexes
the synthesis of zinc(II) complexes of 2-(2-mercaptophenyl)-imino-phenol by electrochemical cleavage of a disulfide bond; the crystal structure of{(2,2′-bipyridine)[2-(2-mercaptophenyl)imino- phenoxy]}zinc(II), 67

Silver complexes
a polymeric silver(I) complex containing triply carboxylato-*O,O′*-bridged dinuclear cores, $[\{Ag_4(Me_3NCH_2CO_2)_6\}_n](ClO_4)_{4n}$, 97

Spectroscopy
a revision on gold(I)–carbon stretching frequencies, 127

Sulfate complexes
stabilizing of the Ru_2^{6+} core. Use of highly charged ligands such as sulfate and phosphate, 55

Sulfonato complexes
crystal and molecular structures of sulfonato complexes of dioxouranium(VI) ion: role of steric effects on coordination structure, 81

Sulfoxide complexes
synthesis and characterization of two new classes of ruthenium(III)–sulfoxide complexes with nitrogen donor ligands (L): Na[*trans*-$RuCl_4(R_2SO)(L)$] and *mer,cis*-$RuCl_3(R_2SO)(R_2SO)(L)$. The crystal structure of Na[*trans*-$RuCl_4(DMSO)(NH_3)]\cdot 2DMSO$, Na[*trans*-$RuCl_4(DMSO)(Im)]\cdot H_2O,Me_2CO$ (Im = imidazole) and *mer,cis*-$RuCl_3(DMSO)(DMSO)(NH_3)$, 205

Sulfur complexes
mixed amino acid binding of Fe_4S_4 clusters: a ^1H NMR study, 253

Thallium complexes
a volatile thallium chelate, (2,2,6,6-tetramethyl-3,5-heptanedionato)Tl(I), 9

Thiouracyl complexes
a thiouracil–Ca^{2+} complex containing two tautomeric forms of the thiouracilyl anion: synthesis and crystal structure of $[(thiouracilyl)_2Ca\cdot 2DMSO\cdot H_2O]_2$, 93

Titanium complexes
ammonium di-μ-oxalatotitanate(III) dihydrate: an eight-coordinate, polymeric titanium(III) complex, 219
the molecular structure of sodium (aqua)(ethylenediaminetetraacetato)titanate(III) dihydrate, $Na[Ti(H_2O)(edta)]\cdot 2H_2O$, as determined by X-ray crystal analysis, 249

Tungsten complexes
preferential displacement of fluorophosphine ligands from fluorophosphinetungstencarbonyl complexes by reaction with trimethylamine oxide, 87
reduction of tungsten(VI) and molybdenum(V) by allyltrimethylsilane and cyclopentene. Simple high yield syntheses of $MoCl_4(OEt_2)_2$, $MoCl_4$(dme), $WCl_4(thf)_2$, WCl_4(dme) and $WOCl_3(thf)_2$, 235

Uranium complexes
crystal and molecular structures of sulfonato complexes of dioxouranium(VI) ion: role of steric effects on coordination structure, 81

Zinc complexes
the synthesis of zinc(II) complexes of 2-(2-mercaptophenyl)-iminophenol by electrochemical cleavage of a disulfide bond; the crystal structure of{(2,2′-bipyridine)[2-(2-mercaptophenyl)iminophenoxy]}zinc(II), 67